American Radiolabeled Chemicals, Inc.

# 2002 Alphabetical Listing

# N

**Catalog Pages**
A B C D E F G H I J K L M N O P Q R S T U V W X Z

| Catalog No. | Product Description | Specific Activity | Solvent | Package Size | Price |
|---|---|---|---|---|---|
| **ART-139** | **Naloxone, [N-allyl 2,3- $^{3}H$]** | 40-60 Ci/mmol | Ethanol | 25 µCi / 925 kBq | $239 |
| | M.W. 327.4 | 1.48-2.22 TBq/mmol | | 250 µCi / 9.25 MBq | $529 |
| | *Shipped in Dry Ice* | | | | |
| ART-549 | Naltriodole, [5',7'-$^{3}H$] | 30-50 Ci/mmol | Ethanol | 25 µCi / 925 kBq | $179 |
| | M.W. 414.1 | 1.11-1.85 TBq/mmol | | 250 µCi / 9.25 MBq | $689 |
| | *Shipped in Dry Ice* | | | 1 mCi / 9.25 MBq | $1709 |
| ARC-1260 | **Naphthalene [1-$^{14}C$]** | 50-60 mCi/mmol | Methanol | 50 µCi/ 1.85 MBq | $329 |
| *Exclusive* | $C_{10}H_8$ | 1.85-2.22 GBq/mmol | | 250 µCi/ 9.25 MBq | $1099 |
| | M.W. 128.16 | | | | |
| ART-609 | **1-Naphthalenemethanol, [methylene-$^{3}H$]** | 20-30 Ci/mmol | Ethanol | 250 µCi / 9.25 MBq | $649 |
| *Exclusive* | $C_{10}H_7CH_2OH$ | 0.74-1.11 TBq/mmol | | 1 mCi / 37 MBq | $1249 |
| | M.W. 158.20 | | | | |
| ARC-1530 | **α-Napthoic acid, [1-$^{14}C$]** | 50-60 mCi/mmol | Ethanol | 250 µCi / 9.25 MBq | $499 |
| *New/Exclusive* | $C_{10}H_7CO_2H$ | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $999 |
| | M.W. 172.18 | | | | |
| ARC-531A | **Naphthol, α -[1-$^{14}C$]** | 50-60 mCi/mmol | Ethanol | 50 µCi / 1.85 MBq | $239 |
| | $C_{10}H_7OH$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $699 |



PM3006723258

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001

| | | | | | |
|---|---|---|---|---|---|
| | M.W. 144.17 | | | 1 mCi / 37 MBq | $1799 |
| **ART-495** | **Naphthol, 1-[ring-$^3$H]** | 15-30 Ci/mmol | Ethanol | 250μCi / 9.25MBq | $699 |
| ***Exclusive*** | M.W. 144.17 | 0.55-1.11 TBq/mmol | | 1 mCi / 37 MBq | $1349 |
| **ART-610** | **1-Naphthylacetic acid, [4-$^3$H]** | 20-30 Ci/mmol | Ethanol | 250 μCi / 9.25 MBq | $699 |
| | $C_{10}H_7CH_2CO_2H$ | 0.74-1.11 TBq/mmol | | 1 mCi / 37 MBq | $1299 |
| | M.W. 186.21 | | | | |
| **ART-446** | **Naphthylphthalamic acid, [2,3,4,5-$^3$H]** | 40-60 Ci/mmol | Ethanol | 250 μCi / 9.25 MBq | $799 |
| *Exclusive* | M.W. 291.0 | 1.48-2.22 TBq/mmol | | 1 mCi / 37 MBq | $1699 |
| | *Shipped in Dry Ice* | | | | |
| **ARC-1446** | **Naproxen, [O-methyl-$^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 μCi / 1.85 MBq | $649 |
| **New/Exclusive** | $CH_3OC_{10}H_6CH(CH_3)CO_2H$ | 1.85-2.22 GBq/mmol | | | |
| | M.W. 230.27 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ART-1114 | **NCS-382, [$^3$H]** | 10-20 Ci/mmol | Ethanol | 250 μCi / 9.25 MBq | $999 |
| New/Exclusive | M.W. 241.23 | 370-740 GBq/mmol | | 50 μCi / 1.85 MBq | $599 |
| | **Shipped in Dry Ice** | | | | |
| **ARC-1318** *Exclusive* | **Neopentyl alcohol, [1-$^{14}$C] (2,2-dimethyl-1-propanol)** | 50-60 mCi/mmol | Ethanol | 50 μCi / 1.85 MBq | $559 |
| | $(CH_3)_3CH_2OH$ | 1.85-2.22 GBq/mmol | | 250 μCi / 9.25 MBq | $1099 |
| | M. W. 88.15 | | | | |
| **ARC-1135** *Exclusive* | **Nerol, [1-$^{14}$C]** (cis-3,7-dimethyl-2,6-octadiene-1-ol) | 50-60 mCi/mmol 1.85-2.22 GBq/mmol | Ethanol | 10 μCi / 370 kBq | $849 |
| | $(CH_3)_2C=CHCH_2CH_2C(CH_3)=CHCH_2OH$ | | | | |
| | M.W. 154.25 | | | | |
| | *Shipped in Dry Ice* | | | | |
| **ART-530** | **Nerol, [1-$^3$H]** | 10-20 Ci/mmol | Ethanol | 250 μCi / 9.25 MBq | $749 |
| ***Exclusive*** | $(CH_3)_2C=CHCH_2CH_2C(CH_3)=CHCH_2OH$ | 370-740 GBq/mmol | | | |
| | M.W. 154.25 | | | | |
| | *Shipped in Dry Ice* | | | | |
| **ART-529** | **Neryl pyrophosphate, [1-$^3$H]** | 10-20 Ci/mmol | 70% EtOH in 0.25M $NH_4HCO_3$ under argon | 250 μCi / 9.25 MBq | $749 |
| ***Exclusive*** | M.W. 365.25 | 370-740 GBq/mmol | | 1 mCi / 37 MBq | $1799 |
| | *Shipped in Dry Ice* | | | | |
| **ART-1229** | **[Tyr$^4$]-Neuropeptide FF (Human) [Tyr-3,5-Pro-3,4-$^3$H]** | 100-120 Ci/mmol | Ethanol:water | 50 μCi / 1.85 MBq | $459 |



PM3006723259

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001

| | | | | | |
|---|---|---|---|---|---|
| *New* | M.W. 1384.0 | | | | |
| | *Shipped in Dry Ice* | | | | |
| **ARC-794** | **Nicotinamide, [carbonyl-$^{14}$C]** | 50-60 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $329 |
| | $C_6H_6N_2O$ | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $999 |
| | M.W. 122.13 | | | | |
| ART-431 | **Nicotinamide adenine dinucleotide, [adenine-2,8-$^{3}$H]** | 1-5 Ci/mmol | Ethanol:water (1:1) | 50 µCi / 1.85 MBq | $699 |
| | *Shipped in Dry Ice* | 37-185 GBq/mmol | | | |
| **ART-431A** | **Nicotinamide adenine dinucleotide, [adenine-2,8-$^{3}$H]** | 25-40 Ci/mmol | Ethanol:water (1:1) | 50 µCi / 1.85 MBq | $799 |
| | *Shipped in Dry Ice* | 0.92-1.48 TBq/mmol | | 250 µCi / 9.25 MBq | $1399 |
| ARP-141 | **Nicotinamide Adenine Dinucleotide, [Adenylate-$^{32}$P] (NAD $^{32}$P) (Dipotassium salt)** | >200 Ci/mmol | 10mM Potassium phoshate | 250 µCi/ 9.25 MBq | $229 |
| | M.W. 663.4 | >7.4 TBq/mmol | buffer (pH 7.0) | 500 µCi/ 18.5 MBq | $459 |
| | *Shipped in Dry Ice* | | | 1 mCi/ 37 MBq | $579 |
| ARC-1252 | **Nicotine, D [N-methyl $^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 µCi/ 1.85 MBq | $699 |
| ***Exclusive*** | M.W. 162.2 | 1.85-2.22 GBq/mmol | | 250 µCi/ 9.25 MBq | $1999 |
| | *Shipped in Dry Ice* | | | | |
| ARC-135 | **Nicotine, L-[N-methyl-$^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 µCi / 1.85 MBq | $499 |
| *Exclusive* | M.W. 162.2 | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $2099 |
| | *Shipped in Dry Ice* | | | | |
| **ARC-1281** | **Nicotine, DL [N-,methyl $^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 µCi/ 1.85 MBq | $239 |
| ***Exclusive*** | M.W. 162.2 | 1.85-2.22 GBq/mmol | | 250 µCi/ 9.25 MBq | $799 |
| | *Shipped in Dry Ice* | | | | |
| ART-385 | **Nicotine, DL-[N-methyl $^{3}$H]** | 30-85 Ci/mmol | Ethanol | 250 µCi / 9.25 MBq | $469 |
| | M.W. 162.2 | 1.11-3.15 TBq/mmol | | 1 mCi / 37 MBq | $949 |
| | *Shipped in Dry Ice* | | | | |
| **ART-151** | **Nicotine, L-[N-methyl-$^{3}$H]** | 30-85 Ci/mmol | Ethanol | 25 µCi / 9.25 kBq | $199 |
| | M.W. 162.2 | 1.11-3.15 TBq | | 250 µCi / 9.25 MBq | $659 |
| | *Shipped in Dry Ice* | | | 1mCi /37 MBq | $1599 |
| ARC-1368 *Exclusive* | **Nicotine, [pyridine-2-$^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 µCi / 1.855 kBq | $1099 |
| | M.W. 162.2 | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $3199 |
| | *Shipped in Dry Ice* | | | | |
| ARC-728 | **Nicotinic acid, [carboxyl-$^{14}$C]** | 50-60 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $799 |



PM3006723260

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001

| | | | | | |
|---|---|---|---|---|---|
| | **(3-pyridine carboxylic acid)** | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $1599 |
| | $C_5H_4NCO_2H$ | | | | |
| | M.W. 123.11 | | | | |
| **ARC-884** | **Nicotinic acid, [2-$^{14}$C]** | 50-60 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $1299 |
| *Exclusive* | (3-pyridinecarboxylic acid) | 1.85-2.22 GBq/mmol | | | |
| | M.W. 123.11 | | | | |
| ART-689 | **Nicotinic acid, [5,6-$^{3}$H]** | 50-60 Ci / mmol | Ethanol | 250 µCi / 9.25 MBq | $749 |
| *Exclusive* | M.W. 123.11 | 1.85-2.22 TBq/mmol | | 1 mCi / 37 MBq | $1449 |
| | *Shipped in Dry Ice* | | | | |
| ART-1160 | **Nicotinic acid, [$^{3}$H(G)] (3-pyridine carboxylic acid)** | 1-5 Ci/mmol | Ethanol | 250 µCi / 9.25 MBq | $599 |
| *New/Exclusive* | $C_6H_5NO_2$ | 37-185 GBq/mmol | | 1 mCi / 37 MBq | $1199 |
| | M.W. 123.11 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ARC-817 | **Nicotinoyl chloride, [carbonyl-$^{14}$C] hydrochloride** | 50-60 mCi/mmol | Neat liquid in | 250 µCi / 9.25 MBq | $1299 |
| | $C_5H_4NCOCl$ | 1.85-2.22 GBq/mmol | sealed ampoule | | |
| | M.W. 178.02 | | | | |
| ART-382 | **Nisoxetine, [N-methyl-$^{3}$H]** | 60-90Ci/mmol | Ethanol | 25 µCi / 925 kBq | $189 |
| | M.W. 274.0 | 2.22-3.33 TBq/mmol | | 250 µCi / 9.25 MBq | $799 |
| | *Shipped in Dry Ice* | | | 1 mCi / 37 MBq | $1949 |
| ARC-1350 | **2-Nitoacetanilide-o, [ring-$^{14}$C(U)]** | 50-60 mCi/mmol | Solid | | Inquire |
| *New/Exclusive* | o-$CH_3CONHC_6H_4NO_2$ | 1.85-2.22 GBq/mmol | | | |
| | M.W. 180.16 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ARC-1343 | **4-Nitoacetanilide-p, [ring-$^{14}$C(U)]** | 50-60 mCi/mmol | Solid | | Inquire |
| | p-$CH_3CONHC_6H_4NO_2$ | 1.85-2.22 GBq/mmol | | | |
| | M.W. 180.16 | | | | |
| *New/Exclusive* | *Shipped in Dry Ice* | | | | |
| ARC-590 | **3-Nitroaniline-*m*, [$^{14}$C(U)]** | 5-10 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $1849 |
| *Exclusive* | *m*-$O_2NC_6H_4NH_2$ | 185-370 MBq/mmol | | | |
| | M.W. 138.13 | | | | |
| ARC-739 | **2-Nitroaniline-*o*, [$^{14}$C(U)]** | 5-10 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $1849 |
| ***Exclusive*** | *o*-$NO_2C_6H_4NH_2$ | 185-370 MBq/mmol | | | |
| | M.W. 138.13 | | | | |
| ARC-738 | **4-Nitroaniline-*p*, [$^{14}$C(U)]** | 5-10 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $1849 |



PM3006723261

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001

| | | | | | |
|---|---|---|---|---|---|
| *Exclusive* | *p*-$NO_2C_6H_4NH_2$ | 185-370 MBq/mmol | | | |
| | M.W. 138.13 | | | | |
| ARC-1035 | **4-Nitroanthranilic acid-p, [carboxyl-$^{14}$C]** | 50-60 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $699 |
| *Exclusive* | $O_2NC_6H_3$-2-$(NH_2)CO_2H$ | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $1449 |
| | M.W. 182.14 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ARC-323 | **Nitrobenzene, [$^{14}$C(U)]** | 1-10 mCi/mmol | Liquid in | 250 µCi / 9.25 MBq | $699 |
| | $C_6H_5NO_2$ | 37-370 MBq/mmol | sealed | 1 mCi / 37 MBq | $1899 |
| | M.W. 123.1 | | ampoule | | |
| ARC-1105 | **Nitrobenzoic acid-p, [carboxyl-$^{14}$C]** | 50-60 mCi/mmol | Ethanol | 250 µCi / 9.25 MBq | $699 |
| *Exclusive* | $O_2NC_6H_4CO_2H$ | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $1299 |
| | M.W. 167.12 | | | | |
| ARC-886 | 2-Nitrobenzoic acid-o, [carboxyl-$^{14}$C] | 50-60 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $749 |
| *Exclusive* | $O_2NC_6H_4CO_2H$ | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $1399 |
| | M.W. 167.12 | | | | |
| ARC-1342 | Nitroethane, [1-$^{14}$C] | 50-60 mCi/mmol | Neat Liquid | 1 mCi / 37 MBq | $1099 |
| *Exclusive* | $CH_3CH_2NO_2$ | 1.85-2.22 GBq/mmol | | | |
| | M.W. 75.07 | | | | |
| ARC-1407 | **Nitroguanidine, [$^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 µCi / 1.85 MBq | $449 |
| *Exclusive* | $O_2NNHC(=NH)NH_2$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $1349 |
| | M.W. 104.07 | | | | |
| ARC-840 | **3-Nitrophenol-m, [$^{14}$C(U)]** | 50-60 mCi/mmol | Ethanol | 250 µCi / 9.25 MBq | $1099 |
| | *m*-$NO_2C_6H_4OH$ | 1.85-2.22 GBq/mmol | | 1 mCi / 37 MBq | $2599 |
| | M.W. 139.1 | | | | |
| ARC-299A | **2-Nitrophenol-o [$^{14}$C(U)]** | 50-60 mCi/mmol | Crystalline | 250 µCi / 9.25 MBq | $1099 |
| *Exclusive* | *o*-$NO_2C_6H_4OH$ | 1.85-2.22 GBq/mmol | solid | 1 mCi / 37 MBq | $2599 |
| | M.W. 139.1 | | | | |
| ARC-613 | **4-Nitrophenol-p, [1-$^{14}$C]** | 50-60 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $1549 |
| *Exclusive* | *p*-$NO_2C_6H_4OH$ | 1.85-2.22 GBq/mmol | | | |
| | M.W. 139.1 | | | | |
| ARC-298A | **4-Nitrophenol-p, [$^{14}$C(U)]** | 50-60 mCi/mmol | Crystalline | 250 µCi / 9.25 MBq | $999 |
| | *p*-$NO_2C_6H_4OH$ | 1.85-2.22 GBq/mmol | solid | 1 mCi / 37 MBq | $2499 |
| | M.W. 139.1 | | | | |



PM3006723262

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001

| | | | | | |
|---|---|---|---|---|---|
| ART-1199 | **2-Nitropropane, [methyl-$^3$H]** | 20-40 Ci/mmol | | | Inquire |
| *Non-Exclusive* | $(CH_3)_2CHNO_2$ | 0.74-1.48 TBq/mmol | | | |
| | M.W. 89.09 | | | | |
| ARC-1032 | **3-Nitrosalicylic acid-n, [ring-$^{14}$C(U)]** | 20-50 mCi/mmol | Solid | 50 µCi / 1.85 MBq | $1099 |
| *Exclusive* | $NO_2C_6H_3(OH)CO_2H$ | 0.74-1.85 GBq/mmol | | | |
| | M.W. 183.12 | | | | |
| ARC-1054 | **5-Nitrosalicylic acid, [ring-$^{14}$C(U)]** | 20-50 mCi/mmol | Solid | 250 µCi / 9.25 MBq | $1099 |
| *Exclusive* | $NO_2C_6H_3(OH)CO_2H$ | 0.74-1.85 GBq/mmol | | | |
| | M.W. 183.12 | | | | |
| ARC-849 | **Nitrosodimethylamine, N-[methyl-$^{14}$C]** | 40-60 mCi/mmol | Sterile water | 100 µCi / 3.7 MBq | $999 |
| | $(CH_3)_2NNO$ | 1.48-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $2099 |
| | M.W. 740.8 | | | | |
| ART-736 | **Nociceptin-[p-$^3$H-phe$^1$]** | 25-50 Ci/mmol | 0.1N AcOH: EtOH (8:2) | 10 µCi / 370 kBq | $649 |
| *Exclusive* | Phe(3H)-Gly-Gly-Phe-Thre-Gly-Ala-Arg-Lys-Ser-Ala-Ary-Lys-Tyr-Ala-Asn-Gly | 0.925-1.85 TBq/mmol | | 50 µCi / 1.85 MBq | $1449 |
| | M.W. 1808.1 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ART-725 | **Nociceptin (Tyr$^{14}$) [tyrosyl 3,5-$^3$H]** | 25-50 Ci/mmol | 0.1N AcOH: EtOH (8:2) | 10 µCi / 370 kBq | $719 |
| | Phe-Gly-Gly-Phe-Thre-Gly-Ala-Arg-Lys-Ser-Ala-Arg-Lys-Tyr(3,5-$^3$H)-Ala-Asn-Glu | 0.925-1.85 TBq/mmol | | 50 µCi / 1.85 MBq | $1599 |
| | M.W. 1808.1 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ART-726 | **Nociceptin [Leucyl 3,4,5-$^3$H]** | 80-100 Ci/mmol | 0.1N AcOH: EtoH (8:2) | 10 µCi / 370 kBq | $719 |
| | Phe-Gly-Gly-Phe-Thre-Gly-Ala-Arg-Lys-Ser-Ala-Arg-Lys-Leu(3,4,5-$^3$H)-Ala-Asn-Gln | 2.96-3.7 TBq/mmol | | 50 µCi / 1.85 MBq | $1599 |
| | M.W. 1808.1 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ART-756 | **Nocistatin [pro-3,4-$^3$H] (Bovine) ($^3$H PNP-3)** | 30-60 ci/mmol | Ethanol | 50 µCi/ 1.85 MBq | $459 |
| | (Thr-Glu-Pro-Gly-Leu-Glu Glu Val Gly Glu Ile Glu Glu-Lys-Gln-Leu-Gln) (Pre-pro-orphanin F2 111-127) (Opiate peptide) | 1.11-2.22 Tbq/mmol | | | |
| | *Shipped in Dry Ice* | | | | |
| ARC-889 | **Nonanoic acid-n, [carboxyl-$^{14}$C]** | 50-60 mCi/mmol | Ethanol | 50 µCi / 1.85 MBq | $269 |
| *Exclusive* | $CH_3(CH_2)_7CO_2H$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $559 |
| | M.W. 158.24 | | | | |
| ARC-900 | **4-Nonylphenol P, [ring-$^{14}$C(U)]** | 50-60 mCi/mmol | Ethanol | 50 µCi / 1.85 MBq | $849 |



PM3006723263

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001

| | | | | | |
|---|---|---|---|---|---|
| | $C_9H_{19}C_6H_4OH$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $1499 |
| | M.W. 220.36 | | | | |
| | *Shipped in Dry Ice* | | | | |
| | *Ref. A.C. Moldahl, K. Nithipatirom & J.J. Lech - xenobiotica, 1966, vol.26, no.11, 1167-1180* | | | | |
| ARC-900A | **2-Nonylphenol, o [$^{14}$C(U)]** | 50-60 Ci/mmol | Ethanol | 50 µCi / 1.85 MBq | $849 |
| *Exclusive* | $C_6H_5[C(CH_2)_8CH_3]OH$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $1499 |
| | M.W. 220.36 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ARL-172 | **Norepinephrine hydrochloride, DL-[7-$^3$H]** | 5-15 Ci/mmol | 0.2 N Acetic acid:ethanol (9:1) | 250 µCi / 9.25 MBq | $329 |
| | 3,4-(OH)$_2$C$_6$H$_3$CH(OH)CH$_2$NH$_2$.HCl | 185-555 GBq/mmol | | 1 mCi / 37 MBq | $649 |
| | M.W. 205.2 | | | | |
| | *Shipped in Dry Ice* | | | | |
| ARC-1365 | **Norleucine, D-[1-$^{14}$C]** | 50-60 Ci/mmol | Ethanol:water (2:98) | 50 µCi / 1.85 MBq | $649 |
| | $CH_3(CH_2)_3CH(NH_2)CO_2H$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $1299 |
| *Exclusive* | M.W. 131.18 | | | | |
| ARC-1366 | **Norleucine, L-[1-$^{14}$C]** | 50-60 Ci/mmol | Ethanol:water (2:98) | 50 µCi / 1.85 MBq | $559 |
| | $CH_3(CH_2)_3CH(NH_2)CO_2H$ | 1.85-2.22 GBq/mmol | | 250 µCi / 9.25 MBq | $1099 |
| *Exclusive* | M.W. 131.18 | | | | |

home | download | new products | custom synthesis | product highlights | standards | alphabetical listing | numerical listing
international distributors | ordering information | order form | special quote request | search | e-mail

**American Radiolabled Chemicals, Inc.**
11624 Bowling Green Drive
St. Louis, MO 63146.

Telephone: (314) 991-4545
Fax: (314) 991-4692

Toll Free: 800-331-6661
Toll Free Fax: 800-999-9925

Disclaimer
The prices listed on this web site are subject to change without notice. ARC is not liable for any typographical errors.

Copyright © 2002 American Radiolabeled Chemicals, Inc.



PM3006723264

Source: https://www.industrydocuments.ucsf.edu/docs/zkbj0001